

# **Pool Chemical Quick Dosing Sheet.**

**Alkalinity** needs to be between 80 to 120. Acceptable up to 150 with no cloudiness in pool.

**PH** needs to be between 7.2 - 7.6. Ideally 7.4 – 7.6

**Chlorine** needs to be between 1-3 ppm

**Alkalinity Increase** - For every 10,000 Gallons Add 1.5 pounds to increase by 10ppm

**Alkalinity Decrease** (Muriatic Acid) – Add ½ Quart for every 10ppm when the alkalinity is over 150ppm (USE CAUTION WHEN APPLYING)

**PH Increase** - For PH between 6.8 and 7.1 add 1 pound for every 10,000 gallons.

For PH lower than 6.8 add 1.5 pounds every 10,000 gallons.

Add total amount slowly over the period of 30 minutes. Circulate for 2 hours than re-test.

**PH Decrease** – If the PH is between 7.7- 8.0 Add ¾ pound for ever 10,000 gallons.

If the PH is between 8.1- 8.4 Add 1 ¼ pound for every 10,000 gallons

If the PH is above 8.4 Add 1.5 pounds for every 10,000 gallons.

Never add more then 1.5 pounds of product at one time.

Allow product to circulate for 2 hours before adding more to pool.